

## **AMENDMENTS TO THE CLAIMS**

The following listing of claims will replace all prior versions, and listings, of claims in the application:

### **Listing of Claims:**

Claim 1 (currently amended): A laminated member comprising:

a transparent material layer having an incident light side and a non-incident light side opposite the incident light side, the transparent material layer comprising:

low-reflectance portions [[,]] and high-reflectance portions having a higher reflectance than the low-reflectance portions,

wherein the high-reflectance portions are indented portions of the incident light side of the transparent material layer and the low-reflectance portions are flat, non-indented portions of the incident light side of the transparent material layer,

wherein a distributed pattern of ~~the~~ said high-reflectance portions ~~being used to record~~ form an information code, and

a reflection-reduction layer comprising pearl pigment ~~is provided at the opposite~~ attached to the non-incident light side of the transparent material layer, thereby defining an incident light side and a non-incident light side of the laminated member, from a side where the information code is observed, for said reflection-reduction layer reducing the amount of reflected light advancing to passing through the transparent material layer laminated member.

Claim 2 (currently amended): A ~~The~~ laminated member ~~according to Claim~~ of claim 1, further comprising a hologram layer ~~at the opposite side of~~ between the transparent material layer ~~from the side where the information code is observed, for~~ and the reflection-reduction layer, said hologram layer reproducing an image with the use of incident light.

Claim 3 (currently amended): A ~~The~~ laminated member ~~according to Claim 1~~ of claim 1, further comprising a retroreflection layer ~~at the opposite side of~~ between the transparent material layer ~~from the side where the information code is observed, for~~ and the reflection-reduction layer, said

retroreflection layer returning incident light in the direction opposite to a direction in which the incident light advances.

Claims 4 – 6 (canceled)

Claim 7 (currently amended): A ~~The~~ laminated member ~~according to Claim of claim 1~~, further comprising an adhesive layer, wherein the adhesive layer is attached to a non-incident light for attaching to an article, at a rear side of the laminated member.

Claim 8 (canceled)

Claim 9 (currently amended): An article ~~to which a~~ comprising the laminated member according to Claim of claim 1, on which an information code is recorded, and a substrate, wherein the laminated member is attached to the substrate.

Claim 10 (new): The laminated member of claim 2, further comprising a retroreflection layer between the hologram layer and the reflection reduction layer.

Claim 11 (new): A laminated member comprising, in order:

(a) a transparent material layer having an incident light side and a non-incident light side, opposite the incident light side, the transparent material layer comprising:

low-reflectance portions and high-reflectance portions having a higher reflectance than the low-reflectance portions, a distributed pattern of said high-reflectance portions comprising an information code,

(b) a hologram layer, said hologram layer reproducing an image with the use of incident light,

(c) a reflection-reduction layer comprising pearl pigment attached to the non-incident light side of the transparent material layer said reflection-reduction layer reducing the amount of reflected light passing through the laminated member,

(d) a retroreflection layer comprising transparent microspheres and resin, said

retroreflection layer returning incident light in the direction opposite to a direction in which the incident light advances, and

(e) an interference layer comprising plate-like mica coated with titanium dioxide.

Claim 12 (new): A laminated member comprising, in order:

(a) a transparent material layer having an incident light side and a non-incident light side, opposite the incident light side, the transparent material layer comprising:

low-reflectance portions and high-reflectance portions having a higher reflectance than the low-reflectance portions, a distributed pattern of said high-reflectance portions comprising an information code,

(b) a reflection-reduction layer comprising pearl pigment attached to the non-incident light side of the transparent material layer said reflection-reduction layer reducing the amount of reflected light passing through the laminated member,

(c) a retroreflection layer comprising transparent microspheres and resin, said retroreflection layer returning incident light in the direction opposite to a direction in which the incident light advances, and

(d) an interference layer comprising plate-like mica coated with titanium dioxide.